

	Specifications	Revision:	V4.2
	Pulsed Ultrafast Laser	Date:	202503
	Model: S-10-532-P1	Page:	1/4

1. Optical characteristics

No.	Characteristics	Parameter value	Unit
1	Central wavelength	532	nm
2	Output power	>10@1MHz	W
3	Repetition rate	single ~ 2	MHz
4	Pulse width	< 15	ps
5	Output power instability	< 3%	RMS
6	Beam quality M ²	< 1.2	/
7	Spot roundness	> 90%	/
8	1/e ² beam diameter (Bare beam)	2.0 ± 0.5	mm
9	Polarization direction	Vertical	/
10	Polarization ratio	>100:1	/
11	Divergence angle (full angle)	< 1.5	mrad
12	Warm-up time	< 10	min



	Specifications	Revision:	V4.2
	Pulsed Ultrafast Laser	Date:	202503
	Model: S-10-532-P1	Page:	2/4

2. Electrical characteristics

No.	Characteristics	Parameter value	Unit
1	Power supply voltage	24	VDC
2	Working current	< 20	A
3	Power consumption	< 480	W
4	Recommended power supply	≥ 600	W

3. Environmental requirements

No.	Characteristics	Parameter value	Unit
1	Ambient temperature	15 - 35	°C
2	Storage temperature	-10 - 50	°C
3	Ambient relative humidity	< 90%, no condensation	/
4	Cooling capacity	> 1000	W
5	Water flow	> 6	L/min
6	Water tank temperature control	25 ± 0.3	°C



	Specifications	Revision:	V4.2
	Pulsed Ultrafast Laser	Date:	202503
	Model: S-10-532-P1	Page:	4/4

6. Galvanometer connection tube

